

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Date of issue: 27/12/2012 Revision date: 30/03/2023 Supersedes version of: 05/04/2019 Version: 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Substance
Trade name	: UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur
Chemical name	: dichloromethane; methylene chloride
IUPAC name	: dichloromethane
EC Index-No.	: 602-004-00-3
EC-No.	: 200-838-9
CAS-No.	: 75-09-2
REACH registration No	: 01-2119480404-41
Product code	: DCHM-00A
Formula	: CH ₂ Cl ₂

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category : Laboratory use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.
Migjorn, 1
P.O. Box Barcelona (SPAIN)
08338 Premia de Dalt – SPAIN
ES
T +34 937 07 79 70 - F +34 937 909 532
info@labbox.com - www.labbox.com

1.4. Emergency telephone number

Emergency number : +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Carcinogenicity, Category 2	H351
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Full text of H and EUH statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.
H351 - Suspected of causing cancer.

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Precautionary statements (CLP)

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%
Dichloromethane	CAS-No.: 75-09-2 EC-No.: 200-838-9 EC Index-No.: 602-004-00-3 REACH-no: 01-2119480404-41	99,8

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Get medical advice/attention if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Gently wash with plenty of soap and water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Do not induce vomiting. Rinse mouth out with water. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: Harmful if inhaled.

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Abdominal pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Making extinguishing agents environment-friendly.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Corrosive vapours.
--	----------------------

5.3. Advice for firefighters

Precautionary measures fire	: Stop leak if safe to do so. Evacuate area.
Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Absorb spillage to prevent material damage.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	: Avoid contact with skin, eyes and clothing. Only qualified personnel equipped with suitable protective equipment may intervene. Ventilate spillage area.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Breathing apparatus.
----------------------	------------------------

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
------------------	---

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.
Special rules on packaging	: Store in a closed container. Keep only in original container.

7.3. Specific end use(s)

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methylene chloride; Dichloromethane
IOEL TWA	353 mg/m ³
IOEL TWA [ppm]	100 ppm
IOEL STEL	706 mg/m ³
IOEL STEL [ppm]	200 ppm
Remark	skin
France - Occupational Exposure Limits	
Local name	Dichlorométhane (Chlorure de méthylène)
VME (OEL TWA)	178 mg/m ³
VME (OEL TWA) [ppm]	50 ppm
VLE (OEL Ceiling/STEL)	356 mg/m ³
VLE (OEL Ceiling/STEL) [ppm]	100 ppm
Remark	Valeurs réglementaires contraignantes; substance classée cancérigène de catégorie 2; risque de pénétration percutanée
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Dichlormethan
AGW (OEL TWA) [1]	180 mg/m ³
AGW (OEL TWA) [2]	50 ppm
Remark	DFG,H,Z
Portugal - Occupational Exposure Limits	
Local name	Diclorometano
OEL TWA [ppm]	50 ppm
Spain - Occupational Exposure Limits	
Local name	Cloruro de metileno (Diclorometano)
VLA-ED (OEL TWA) [1]	177 mg/m ³
VLA-ED (OEL TWA) [2]	50 ppm

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)	
Remark	r (Esta sustancia tiene establecidas restricciones a la fabricación, la comercialización o el uso en los términos especificados en el "Reglamento (CE) n° 1907/2006 sobre Registro, Evaluación, Autorización y Restricción de sustancias y preparados químicos" (REACH) de 18 de diciembre de 2006 (DOUE L 369 de 30 de diciembre de 2006). Las restricciones de una sustancia pueden aplicarse a todos los usos o sólo a usos concretos. El anexo XVII del Reglamento REACH contiene la lista de todas las sustancias restringidas y especifica los usos que se han restringido), VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento).
United Kingdom - Occupational Exposure Limits	
Local name	Dichloromethane
WEL TWA [1]	350 mg/m ³
WEL TWA [2]	100 ppm
WEL STEL	1060 mg/m ³
WEL STEL (ppm)	300 ppm
Remark	BMGV (Biological monitoring guidance values are listed in Table 2), Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	706 mg/m ³
Long-term - systemic effects, dermal	12 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	353 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	353 mg/m ³
Long-term - systemic effects, oral	0,06 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	88,3 mg/m ³
Long-term - systemic effects, dermal	5,82 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,31 mg/l
PNEC aqua (marine water)	0,031 mg/l
PNEC aqua (intermittent, freshwater)	0,27 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2,57 mg/kg dwt
PNEC sediment (marine water)	0,26 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,33 mg/kg dwt

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

PNEC (STP)

PNEC sewage treatment plant	26 mg/l
-----------------------------	---------

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves against chemicals (EN 374)

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Liquid.
Molecular mass	: 84,93 g/mol
Odour	: ether-like odour.
Odour threshold	: Not available
Melting point	: -95 °C Atm. press.: 101,3 kPa Decomposition: 'no'
Freezing point	: Not available
Boiling point	: 40 °C Atm. press.: 101,3 kPa Decomposition: 'no'
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: 13 vol %

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Upper explosion limit	: 22 vol %
Flash point	: Not available
Auto-ignition temperature	: 605 1.013 hPa
Decomposition temperature	: 120 °C
pH	: Not available
Viscosity, kinematic	: 0,316 mm ² /s
Viscosity, dynamic	: 0,42 mPa·s Temp.: 'other:298.15K' Parameter: 'dynamic viscosity (in mPa s)'
Solubility	: Water: 13,2 g/l 25° C
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: 1,25 20° C
Vapour pressure	: 58400 Pa Temp.: 25 °C
Vapour pressure at 50 °C	: Not available
Density	: 1,33 g/cm ³ Type: 'density' Temp.: 20 °C
Relative density	: 1,33 Type: 'relative density' Temp.: 20 °C
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Heavy metals. Reacts vigorously with strong oxidizers and acids.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong acids. Strong bases. Strong reducing agents. Metals.

10.6. Hazardous decomposition products

Toxic vapours are released.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
---------------	--

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	88 mg/l
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

NOAEL (oral, rat, 90 days)	6 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Aspiration hazard	: Not classified

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

Viscosity, kinematic	0,316 mm ² /s
----------------------	--------------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

LC50 - Fish [1]	193 mg/l Test organisms (species): Pimephales promelas
EC50 - Daphnia [1]	1682 mg/dm ³ 48 hours

12.2. Persistence and degradability

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

Persistence and degradability	Readily biodegradable.
Biodegradation	68 %

12.3. Bioaccumulative potential

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur (75-09-2)

Partition coefficient n-octanol/water (Log Pow)	1,25 20° C
---	------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Must follow special treatment according to local regulation.
Product/Packaging disposal recommendations	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code	: 07 01 03* - organic halogenated solvents, washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 1593
UN-No. (IMDG)	: UN 1593
UN-No. (IATA)	: UN 1593
UN-No. (ADN)	: UN 1593
UN-No. (RID)	: UN 1593

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: DICHLOROMETHANE
Proper Shipping Name (IMDG)	: DICHLOROMETHANE
Proper Shipping Name (IATA)	: Dichloromethane
Proper Shipping Name (ADN)	: DICHLOROMETHANE
Proper Shipping Name (RID)	: DICHLOROMETHANE
Transport document description (ADR)	: UN 1593 DICHLOROMETHANE, 6.1, III, (E)
Transport document description (IMDG)	: UN 1593 DICHLOROMETHANE, 6.1, III
Transport document description (IATA)	: UN 1593 Dichloromethane, 6.1, III
Transport document description (ADN)	: UN 1593 DICHLOROMETHANE, 6.1, III
Transport document description (RID)	: UN 1593 DICHLOROMETHANE, 6.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IATA

Transport hazard class(es) (IATA) : 6.1
Danger labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1
Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : T1
Special provisions (ADR) : 516
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Special packing provisions (ADR) : B8
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP2
Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9
Hazard identification number (Kemler No.) : 60

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 

Tunnel restriction code (ADR) : E
EAC code : 2Z

Transport by sea

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
IBC special provisions (IMDG) : B8
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-A
Stowage category (IMDG) : A
Properties and observations (IMDG) : Colourless, volatile liquid with heavy vapours. Boiling point: 40°C. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y642
PCA limited quantity max net quantity (IATA) : 2L
PCA packing instructions (IATA) : 655
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 663
CAO max net quantity (IATA) : 220L
ERG code (IATA) : 6L

Inland waterway transport

Classification code (ADN) : T1
Special provisions (ADN) : 516, 802
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP, TOX, A
Ventilation (ADN) : VE02
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : T1
Special provisions (RID) : 516
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : B8
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions (RID) : TP2
Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28, CW31
Colis express (express parcels) (RID) : CE8

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (RID) : 60

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3.	UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur
3(b)	UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur
59.	UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

REACH Annex XIV (Authorisation List)

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Dichloromethane is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

UN1593 Dichloromethane Analytical Grade stabilized with amylene ACS, Ph Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 12	Occupational diseases caused by the halogenated aliphatic hydrocarbons listed below: dichloromethane; trichloromethane; tribromomethane; triiodomethane; tetrabromomethane; chloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,2-dibromoethane; 1,1,1-trichloroethane; 2-bromopropane; 1,2-dichloropropane; trichlorethylene; tetrachlorethylene; dichloroacetylene; trichlorofluoromethane; 1,1,2,2-tetrachloro-1,2-difluoroethane; 1,1,1-trichloro-2,2,2-trifluoroethane; 1,1-dichloro-2,2,2-trifluoroethane; 1,2-dichloro-1,1-difluoroethane; 1,1-dichloro-1-fluoroethane

Germany

Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 149).
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed

Denmark

Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
-----------------------------	---

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.