

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form	: Substance
Trade name	: UN1498 Sodium nitrate EPR, 99%
IUPAC name	: sodium nitrate
EC-No.	: 231-554-3
CAS-No.	: 7631-99-4
REACH registration No	: 05-2114118315-59
Product code	: SONA-00T
Formula	: NaNO <sub>3</sub>

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Laboratory use

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

labbox labware s.l.  
Migjorn, 1  
P.O. Box Barcelona (SPAIN)  
08338 Premia de Dalt – SPAIN  
ES  
T +34 937 07 79 70 - F +34 937 909 532  
[info@labbox.com](mailto:info@labbox.com) - [www.labbox.com](http://www.labbox.com)

**1.4. Emergency telephone number**

Emergency number : +34 937 077 970 (For technical information\_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Oxidising Solids, Category 3	H272
Serious eye damage/eye irritation, Category 2	H319

Full text of H and EUH statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS03

GHS07

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.  
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 - Keep away from clothing and other combustible materials.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Substance type : Mono-constituent  
Name : Sodium nitrate EPR, 99%  
CAS-No. : 7631-99-4  
EC-No. : 231-554-3

Name	Product identifier	%
sodium nitrite	CAS-No.: 7632-00-0 EC-No.: 231-555-9 EC Index-No.: 007-010-00-4 REACH-no: 01-2119471836-27	$\geq 99$

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.  
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Rinse mouth. Call a physician immediately. Drink plenty of water.

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Sand.  
Unsuitable extinguishing media : Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : May react explosively even in the absence of air at elevated pressure and/or temperature.

### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with eyes.

#### 6.1.2. For emergency responders

Protective equipment : Breathing apparatus.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Collect spillage. Shovel or sweep up and put in a closed container for disposal.

### 6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Protect from moisture. Keep containers closed.  
Precautions for safe handling : Avoid contact with skin and eyes. Provide good ventilation in process area to prevent formation of vapour.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.  
Incompatible products : Strong acids. Oxidizing agent.  
Storage area : Store in a dry area. Store in a cool, well-ventilated place. Labelling.  
Special rules on packaging : Keep only in original container. Store in a closed container.

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.3. Specific end use(s)

Laboratory chemicals.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

UN1498 Sodium nitrate EPR, 99% (7631-99-4)	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	20,8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	36,7 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	12,5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	10,9 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	12,5 mg/kg bodyweight/day
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0,45 mg/l
PNEC aqua (marine water)	0,045 mg/l
PNEC aqua (intermittent, freshwater)	4,5 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0,0195 mg/kg dwt
PNEC sediment (marine water)	0,0223 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	0,000733 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	18 mg/l

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Avoid all unnecessary exposure. EN 374.

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
		With side shields	EN 166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves against chemicals (EN 374)

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
		6 (> 480 minutes)	cloruro de polivinilo (PVC) - 0.7 mm de espesor del recubrimiento / caucho nitrilo (NBR) - 0.4 mm espesor del recubrimiento / caucho cloropreno (CR) - 0.5 mm de espesor del recubrimiento / caucho butílico (butilo) - 0.7 mm espesor del recubrimiento / elastómero de fluor (FKM) - 0.7 mm de espesor del recubrimiento		EN ISO 374

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Wear appropriate mask

Respiratory protection			
Device	Filter type	Condition	Standard
Dust mask	Type P3		EN 143

#### 8.2.2.4. Thermal hazards

No additional information available

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.3. Environmental exposure controls

#### Other information:

The present safety data sheet is consistent with the specific conditions relied on to justify the registration of the substance in accordance with Article 17 or 18 of the REACH regulation. Do not eat, drink or smoke when using this product. Wash hands with water as a precaution.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Molecular mass	: 84,99 g/mol
Odour	: odourless.
Odour threshold	: Not available
Melting point	: 307 °C
Freezing point	: Not available
Boiling point	: 380 °C
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 7 Temp.: 25 °C
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 2,26 g/cm <sup>3</sup> Type: 'density'
Relative density	: 2,26 Type: 'relative density'
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly reactive material.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.5. Incompatible materials

Strong acids. Oxidizing agent.

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### UN1498 Sodium nitrate EPR, 99% (7631-99-4)

LD50 oral rat	≈ 3430 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Not classified  
pH: 7 Temp.: 25 °C  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: 7 Temp.: 25 °C  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

#### UN1498 Sodium nitrate EPR, 99% (7631-99-4)

NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	--

Aspiration hazard : Not classified

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Toxic if swallowed.

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### UN1498 Sodium nitrate EPR, 99% (7631-99-4)

LC50 - Fish [1]	6200 mg/l
EC50 - Daphnia [1]	3581 mg/l

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Must follow special treatment according to local regulation.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR)	: UN 1498
UN-No. (IMDG)	: UN 1498
UN-No. (IATA)	: UN 1498
UN-No. (ADN)	: UN 1498
UN-No. (RID)	: UN 1498

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: SODIUM NITRATE
Proper Shipping Name (IMDG)	: SODIUM NITRATE
Proper Shipping Name (IATA)	: Sodium nitrate
Proper Shipping Name (ADN)	: SODIUM NITRATE
Proper Shipping Name (RID)	: SODIUM NITRATE
Transport document description (ADR)	: UN 1498 SODIUM NITRATE, 5.1, III, (E)
Transport document description (IMDG)	: UN 1498 SODIUM NITRATE, 5.1, III
Transport document description (IATA)	: UN 1498 Sodium nitrate, 5.1, III
Transport document description (ADN)	: UN 1498 SODIUM NITRATE, 5.1, III
Transport document description (RID)	: UN 1498 SODIUM NITRATE, 5.1, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1
	:





# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### IMDG

Transport hazard class(es) (IMDG) : 5.1  
Danger labels (IMDG) : 5.1  
:



### IATA

Transport hazard class(es) (IATA) : 5.1  
Danger labels (IATA) : 5.1  
:



### ADN

Transport hazard class(es) (ADN) : 5.1  
Danger labels (ADN) : 5.1  
:



### RID

Transport hazard class(es) (RID) : 5.1  
Danger labels (RID) : 5.1  
:



## 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport


Classification code (ADR) : O2  
Limited quantities (ADR) : 5kg  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P002, IBC08, LP02, R001  
Special packing provisions (ADR) : B3  
Mixed packing provisions (ADR) : MP10  
Portable tank and bulk container instructions (ADR) : T1, BK1, BK2  
Portable tank and bulk container special provisions (ADR) : TP33  
Tank code (ADR) : SGAV  
Tank special provisions (ADR) : TU3  
Vehicle for tank carriage : AT

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (ADR) : 3  
Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP6, AP7  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV24  
Hazard identification number (Kemler No.) : 50  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 1Z

### Transport by sea

Special provisions (IMDG) : 964, 967  
Limited quantities (IMDG) : 5 kg  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P002, LP02  
IBC packing instructions (IMDG) : IBC08  
IBC special provisions (IMDG) : B3  
Tank instructions (IMDG) : T1, BK2, BK3  
Tank special provisions (IMDG) : TP33  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-Q  
Stowage category (IMDG) : A  
Stowage and handling (IMDG) : SW23  
Properties and observations (IMDG) : Colourless deliquescent solid. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed. This substance in the impure form is known as Chile Saltpetre.

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y546  
PCA limited quantity max net quantity (IATA) : 10kg  
PCA packing instructions (IATA) : 559  
PCA max net quantity (IATA) : 25kg  
CAO packing instructions (IATA) : 563  
CAO max net quantity (IATA) : 100kg  
ERG code (IATA) : 5L

### Inland waterway transport

Classification code (ADN) : O2  
Limited quantities (ADN) : 5 kg  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : B  
Equipment required (ADN) : PP  
Provisions prior to loading (ADN) : LO04  
Provisions for carriage in bulk (ADN) : CO02  
Number of blue cones/lights (ADN) : 0  
Additional requirements/Remarks (ADN) : CO02 and LO04 apply only when this substance is carried in bulk or without packaging

### Rail transport

Classification code (RID) : O2  
Limited quantities (RID) : 5kg  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P002, IBC08, LP02, R001  
Special packing provisions (RID) : B3  
Mixed packing provisions (RID) : MP10  
Portable tank and bulk container instructions (RID) : T1, BK1, BK2  
Portable tank and bulk container special provisions (RID) : TP33  
Tank codes for RID tanks (RID) : SGAV  
Special provisions for RID tanks (RID) : TU3

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 50

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

No REACH Annex XVII restrictions

##### REACH Annex XIV (Authorisation List)

UN1498 Sodium nitrate EPR, 99% is not on the REACH Annex XIV List

##### REACH Candidate List (SVHC)

UN1498 Sodium nitrate EPR, 99% is not on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

UN1498 Sodium nitrate EPR, 99% is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

##### POP Regulation (Persistent Organic Pollutants)

UN1498 Sodium nitrate EPR, 99% is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### Ozone Regulation (1005/2009)

Sodium nitrate EPR, 99% is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

##### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

##### Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 378).
Chemicals Prohibition Ordinance (ChemVerbotsV)	: This product is subject to ChemVerbotsV Annex 2 Entry 2. The following requirement must be observed: Basic requirements for the implementation of the submission (according to § 8 paragraph 1, 3 and 4).
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed

# UN1498 Sodium nitrate EPR, 99%

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H319	Causes serious eye irritation.
Ox. Sol. 3	Oxidising Solids, Category 3

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.